

## Author Index

- Baldessarini, R.J., see Zhang, K. (137) 135
- Ballion, B., Branchereau, P., Chapron, J. and Viala, D.  
Ontogeny of descending serotonergic innervation and evidence for intraspinal 5-HT neurons in the mouse spinal cord (137) 81
- Baratta, J., see Eliason, D.A. (137) 75
- Boeck, C., see Kommers, T. (137) 139
- Bondeva, T., see Kim, S. (137) 13
- Branchereau, P., see Ballion, B. (137) 81
- Brown, K.M., Wrathall, J.R., Yasuda, R.P. and Wolfe, B.B.  
Quantitative measurement of glutamate receptor subunit protein expression in the postnatal rat spinal cord (137) 127
- Bubula, N., see Won, L. (137) 67
- Castellanos, D.A., see Schumm, M.A. (137) 115
- Chapron, J., see Ballion, B. (137) 81
- Cohen, S.A., see Eliason, D.A. (137) 75
- Csernansky, C.A., see Humphrey, W.M. (137) 1
- Csernansky, J.G., see Humphrey, W.M. (137) 1
- Davids, E., see Zhang, K. (137) 135
- Dong, H., see Humphrey, W.M. (137) 1
- Duysen, E.G., Stribley, J.A., Fry, D.L., Hinrichs, S.H. and Lockridge, O.  
Rescue of the acetylcholinesterase knockout mouse by feeding a liquid diet: phenotype of the adult acetylcholinesterase deficient mouse (137) 43
- Eliason, D.A., Cohen, S.A., Baratta, J., Yu, J. and Robertson, R.T.  
Local proliferation of microglia cells in response to neocortical injury in vitro (137) 75
- Fry, D.L., see Duysen, E.G. (137) 43
- Frydel, B.R., see Schumm, M.A. (137) 115
- Gabriel, S., see Graulich, J. (137) 35
- Graulich, J., Hoffmann, U., Maier, R.F., Ruscher, K., Pomper, J.K., Ko, H.-K., Gabriel, S., Obladen, M. and Heinemann, U.  
Acute neuronal injury after hypoxia is influenced by the reoxygenation mode in juvenile hippocampal slice cultures (137) 35
- Heinemann, U., see Graulich, J. (137) 35
- Heller, A., see Won, L. (137) 67
- Hershinkel, M., see Nitzan, Y.B. (137) 149
- Hinrichs, S.H., see Duysen, E.G. (137) 43
- Hoffmann, U., see Graulich, J. (137) 35
- Horn, J., see Kommers, T. (137) 139
- Humphrey, W.M., Dong, H., Csernansky, C.A. and Csernansky, J.G.  
Immediate and delayed hippocampal neuronal loss induced by kainic acid during early postnatal development in the rat (137) 1
- Kim, S., Bondeva, T. and Nelson, P.G.  
Activation of protein kinase C isozymes in primary mouse myotubes by carbachol (137) 13
- Kimura-Kuroda, J., Nagata, I., Negishi-Kato, M. and Kuroda, Y.  
Thyroid hormone-dependent development of mouse cerebellar Purkinje cells in vitro (137) 55
- Ko, H.-K., see Graulich, J. (137) 35
- Kommers, T., Rodnight, R., Boeck, C., Vendite, D., Oliveira, D., Horn, J., Oppelt, D. and Wofchuk, S.  
Phosphorylation of glial fibrillary acidic protein is stimulated by glutamate via NMDA receptors in cortical microslices and in mixed neuronal/glial cell cultures prepared from the cerebellum (137) 139
- Kuroda, Y., see Kimura-Kuroda, J. (137) 55
- Lockridge, O., see Duysen, E.G. (137) 43
- Maier, R.F., see Graulich, J. (137) 35
- Moran, A., see Nitzan, Y.B. (137) 149
- Nagata, I., see Kimura-Kuroda, J. (137) 55
- Nakamura, S., see Ohsaki, K. (137) 159
- Negishi-Kato, M., see Kimura-Kuroda, J. (137) 55
- Nelson, P.G., see Kim, S. (137) 13
- Nitzan, Y.B., Sekler, I., Hershinkel, M., Moran, A. and Silverman, W.F.  
Postnatal regulation of ZnT-1 expression in the mouse brain<sup>II</sup> (137) 149
- Obladen, M., see Graulich, J. (137) 35
- Ohsaki, K., Osumi, N. and Nakamura, S.  
Altered whisker patterns induced by ectopic expression of *Shh* are topographically represented by barrels (137) 159
- Oliveira, D., see Kommers, T. (137) 139
- Oppelt, D., see Kommers, T. (137) 139
- Osumi, N., see Ohsaki, K. (137) 159
- Pomper, J.K., see Graulich, J. (137) 35
- Porter, L.L., see Ross, N.R. (137) 23
- Rink, E. and Wullmann, M.F.  
Development of the catecholaminergic system in the early zebrafish brain: an immunohistochemical study (137) 89
- Robertson, R.T., see Eliason, D.A. (137) 75
- Rodnight, R., see Kommers, T. (137) 139
- Ross, N.R. and Porter, L.L.  
Effects of dopamine and estrogen upon cortical neurons that express parvalbumin in vitro (137) 23
- Ruscher, K., see Graulich, J. (137) 35
- Sagen, J., see Schumm, M.A. (137) 115
- Schumm, M.A., Castellanos, D.A., Frydel, B.R. and Sagen, J.  
Enhanced viability and neuronal differentiation of neural progenitors by chromaffin cell co-culture (137) 115
- Scott Fraleigh, G. and Ulibarri, C.  
Development of androgen receptor and p75<sup>NTR</sup> mRNAs and peptides in the lumbar spinal cord of the gerbil (137) 101
- Sekler, I., see Nitzan, Y.B. (137) 149
- Silverman, W.F., see Nitzan, Y.B. (137) 149
- Stribley, J.A., see Duysen, E.G. (137) 43
- Tarazi, F.I., see Zhang, K. (137) 135
- Ulibarri, C., see Scott Fraleigh, G. (137) 101
- Vendite, D., see Kommers, T. (137) 139
- Viala, D., see Ballion, B. (137) 81

Wofchuk, S., see Kommers, T. (137) 139  
Wolfe, B.B., see Brown, K.M. (137) 127  
Won, L., Bubula, N. and Heller, A.  
Fetal exposure to ( $\pm$ )-  
methylenedioxymethamphetamine in  
utero enhances the development and  
metabolism of serotonergic neurons in  
three-dimensional reaggregate tissue  
culture (137) 67

Wrathall, J.R., see Brown, K.M. (137) 127  
Wullimann, M.F., see Rink, E. (137) 89  
Yasuda, R.P., see Brown, K.M. (137) 127  
Yu, J., see Eliason, D.A. (137) 75  
Zhang, K., Davids, E., Tarazi, F.I. and  
Baldessarini, R.J.

Serotonin transporter binding  
increases in caudate-putamen and  
nucleus accumbens after neonatal 6-  
hydroxydopamine lesions in rats:  
implications for motor hyperactivity  
(137) 135

